

0697 DEUTSCH CONNECTOR ASSEMBLY



FOR USE WITH GX AND MX CONTACTORS FEATURING INTEGRATED DT08 DEUTSCH CONNECTOR



0697 (ASSEMBLED)



PART NUMBER	<u>DESCRIPTION</u>
0697-1	STANDARD
0697-2	AUXILIARY
0697-5	LATCHING, LOW SIDE DRIVE WITH AUXILIARY
0697-6	LATCHING, LOW SIDE DRIVE
0697-7	LATCHING, HIGH SIDE DRIVE WITH AUXILIARY
0697-8	LATCHING, HIGH SIDE DRIVE

SEE SHEET 3 FOR PINOUT CONFIGURATIONS

MATING CONNECTOR


DEUTSCH CONNECTOR HOUSING P/N: DT06-08SA SOLID CONTACT SOCKET P/N: 0462-201-16141


WEDGE LOCK P/N: W8S SEALING PLUG P/N: 114017

LEADS*

UL3239 20AWG WIRE, 18 INCHES

PINOUT CONFIGURATIONS





0697-5 Latching, Low Side Drive with Auxiliary



0697-6 Latching, Low Side Drive



0697-7 Latching, High Side Drive with Auxiliary



0697-8 Latching, High Side Drive

