## Miniature Capsule Slip Ring LPM-12E

This unit can be used in any electromechanical system that requires unrestrained, continuous rotation while transferring power or data from a stationary to a rotating structure. It is also called a rotary electrical interface, commutator, collector, swivel or an electrical rotary joint. It can improve electromechanical capability, simplify system design, eliminate possible damage while rotation.

The LPM-12E miniature slip ring is a standard, off-the-shelf unit that uses gold contacts at the rotary interface. Color-coded lead wires are used on both the stator and rotor for simplifying electrical connections. The LPM-12E allows tremendous flexibility in dealing with system size restrictions. It is available in 4, 6 and 12 circuit configurations.



# TEMPE -20° C to 60° C

## **Applications**

- **Electrical test equipment**
- Manufacturing and process control equipment
- Indexing tables
- CCTV pan / tilt camera mounts
- **Robotics**, rotary sensors, urgent illumination equipmen
- **Exhibit** / display equipment/Closed-circuit control
- Aviation , military , instrument, medical equipment.
- Min-type wire-rolling machine / Wind turbine generator

### **Specifications**

Operating Speed	0-300 rpm
Number of Circuits	12
Voltage	240 VAC/DC
Current Rating	2 amps per circuit
Temperature Range	-20℃ to +60℃
Contact Material	Gold to Gold
Lead Size	30# silver plated copper
Lead Length	Standard 250 mm (9.843inch)
Dielectric Strength	≥500 VAC @50Hz, between each circuit
Insulation Resistance	100 MΩ @ 500 VDC
Electrical Noise	1mΩ Min

	Capsule Length	
# of Circuits	L (mm)	Part No
12	24.2	LPM-12E



- ✓ 12 circuits models
- **2** amps per circuit ,240VAC/DC
- Precision assembly to provide exceptional rotational life
- Speed up to 300 rpm continuous
- Gold-Gold contacts
- Flexible, color-coded, silver-plated, lead wires
- Superior handling of low level control signals
- Metal housing optional



MAXIMUM OPERATING SPEED 0-300 RPM





#### www.slipring.cn

## Drawings

# Advantage

- **V** Low torque minimize system torque budget
- Compact design to fit in the most demanding space.

JINPAT


- Smooth running
- ✓ Low electrical noise
- **V** Quick shipment per your urgent requirement
- **360** continuous rotation
- **W** High bandwidth transfer capability
- Addition of special components
- **Quick shipment**

		W	/re Coloi	Code				
Wire Size	Ring #	Color	Ring #	Color	Ring #	Color	Ring #	Color
AWG17# silver plated copper Teflon UL	#1	BLK	#2	BRN	#3	RED	#4	ORG
	#5	YEL	#6	GRN	#7	BLK-BLU	#8	PUR
	#9	GRAY	#10	WIT	#11	PINK	#12	AZURY
	#13	WIT/BLK	#14	WIT/BRN	#15	WIT/RED	#16	WIT/ORG
	#17	WIT/YET	#18	WIT/GRN	#19	WIT/BLU	#20	WIT/PUR
	#21	WIT/GRAY	#22	CLAR	#23	BLK-RED	#24	BLK/BRN

Remarks: 1. AWG28# silver plated copper Teflon UL, 24 different color single wires for a circle

2. #1 from rotor side (The color if the wire can be changed).

**Contact us on wire color codes** 



Any questions about slip ring, please leave your message to get a professional solution

FORJ	
Capsule slip ring	
Through bore slip ring	
Pancake slip ring	
Mercury slip ring	
Separate slip ring	
Miniature slip ring	
Wind turbine slip ring	
Hydraulic slip ring	
Pneumatic slip ring	
Coaxial rotary joints	





# Model: LPM-12E

#### Circuits

- Current&voltage
- Signal details
- Dimension
- Working speed
- Working temperature
- Operating
- Environment

Other

Surveillance Crane Medical Marine Defence Radar antenna **Automation** Meter and instrument Wind turbine generator **VR** Device Other

